

# Mini-Racking Proposals



When ordering, model numbers must be completed as follows :

	Starter unit	Add-on unit	
BOLTED uprights	<b>D</b>	<b>A</b>	EXAMPLE : <b>SR</b> __ <b>5001</b>
WELDED uprights	<b>E</b>	<b>B</b>	

<b>S</b>	Steel decking
<b>W</b>	Wire decking
—	Without decking


**Example : S R D 5 0 0 1 S**  
for a starter unit bolted uprights, including steel decking.

## Mini-Racking with Choice of Decking

The beams are designed to receive steel shelves (SR40, SH20), wire decking (SR42) or wood panels at least 5/8" thick.

### Steel

To order a unit with steel shelves, complete the product number with an **S**.



SRE5127S  
Starter



SRB5127S  
Add-on

### Wire

To order a unit with wire shelves, complete the product number with a **W**;  
Not compatible with 18" depth.



SRE5127W  
Starter




SRB5127W  
Add-on

### For Wood Panels

To order a unit without decking (Ex.: for use with wood panels) leave the product number as is.



SRE5127  
Starter



SRB5127  
Add-on

## Mini-Racking with Medium-Duty Beams

Dimensions			Number of Levels	
W	D	H	3	4
48"	18"	75"	SR_5001_	SR_5021_
	24"		SR_5002_	SR_5022_
	36"*		SR_5003_	SR_5023_
	48"*		SR_5004_	SR_5024_
	18"	87"	SR_5005_	SR_5025_
	24"		SR_5006_	SR_5026_
	36"*		SR_5007_	SR_5027_
	48"*		SR_5008_	SR_5028_
60"	18"	75"	SR_5051_	SR_5071_
	24"		SR_5052_	SR_5072_
	36"*		SR_5053_	SR_5073_
	48"*		SR_5054_	SR_5074_
	18"	87"	SR_5055_	SR_5075_
	24"		SR_5056_	SR_5076_
	36"*		SR_5057_	SR_5077_
	48"*		SR_5058_	SR_5078_
	24"		—	SR_5080_
	36"*		—	SR_5081_
48"*	99"	—	SR_5082_	

\*Models are compatible with double shelving units with same depth.

Dimensions			Number of Levels	
W	D	H	3	4
72"	18"	75"	SR_5101_	SR_5121_
	24"		SR_5102_	SR_5122_
	36"*		SR_5103_	SR_5123_
	48"*		SR_5104_	SR_5124_
	18"	87"	SR_5105_	SR_5125_
	24"		SR_5106_	SR_5126_
	36"*		SR_5107_	SR_5127_
	48"*		SR_5108_	SR_5128_
24"	99"	—	SR_5130_	
36"*		—	SR_5131_	
48"*	—	—	SR_5132_	

### Medium-Duty Beams

Depth	Number of Tie Bars		
	Steel	Wire	Wood Panels
18"	1	ND	1
24"	1	1	1
36"	1	1	2
48"	1	1	3



SRE5072S

### Tie bars

Models include 1 to 3 tie bars, depending on their dimensions.

**NOTE** For capacity chart. SEE PAGE 89

# Mini-Racking Proposals

## Mini-Racking with Heavy-Duty Beams



Dimensions			Number of Levels	
W	D	H	3	4
72"	18"	75"	SR_5151_	SR_5171_
	24"		SR_5152_	SR_5172_
	36"*		SR_5153_	SR_5173_
	48"*		SR_5154_	SR_5174_
	18"	87"	SR_5155_	SR_5175_
	24"		SR_5156_	SR_5176_
	36"*		SR_5157_	SR_5177_
	48"*		SR_5158_	SR_5178_
	24"	99"	—	SR_5180_
	36"*		—	SR_5181_
	48"*		—	SR_5182_
	—		—	—
96"	18"	75"	SR_5201_	SR_5221_
	24"		SR_5202_	SR_5222_
	36"*		SR_5203_	SR_5223_
	48"*		SR_5204_	SR_5224_
	18"	87"	SR_5205_	SR_5225_
	24"		SR_5206_	SR_5226_
	36"*		SR_5207_	SR_5227_
	48"*		SR_5208_	SR_5228_
	24"	99"	—	SR_5230_
	36"*		—	SR_5231_
	48"*		—	SR_5232_
	—		—	—

## Heavy-Duty Beams

### Tie bars

Models include 1 to 3 tie bars, depending on their dimensions.

**NOTE** For capacity chart.


SEE PAGE 89

\*Models are compatible with double shelving units with same depth.



Width	Depth	Number of Tie Bars		
		Steel	Wire	Wood Panels
72"	18"	1	ND	2
	24"	1	1	2
	36"	1	1	3
	48"	1	1	3
96"	18"	1	ND	2
	24"	1	1	2
	36"	1	1	3
	48"	2	2	3

## Mini-Racking for Standard-Sized Wood Panels




Model dimensions are designed to reduce the need to cut wood panels;

4 long-span levels with heavy-duty beams;

Bolted uprights (require assembly).

Starter	Add-On	W x D x H
SRD7031	SRA7031	72" x 48½" x 87"
SRD7032	SRA7032	72" x 48½" x 99"
SRD7033	SRA7033	96½" x 24" x 87"
SRD7034	SRA7034	96½" x 24" x 99"
SRD7035	SRA7035	96½" x 48" x 87"
SRD7036	SRA7036	96½" x 48" x 99"
SRD7037	SRA7037	96½" x 48½" x 87"
SRD7038	SRA7038	96½" x 48½" x 99"


**NOTE** Wood decking are not provided by Rousseau.



# Mini-Racking Accessories

## Hanging Rail

**SR62**



300 lb. capacity per rail;  
 Installs on Spider® post with hooks, no bolts;  
 Includes security mechanism to keep from accidentally unhooking;  
 3 installation positions possible : one in the middle and two closer to the edges;  
 Compatible with SR63-02 hooks (not included);  
 Hooks pivot once installed on the rail. They can be put on and taken off the rail at all times, even when the rail is in place on the adaptors;  
 Rail and adaptors in galvanized steel;  
 Note : When doing a side-to-side combination with a mini-racking and a back-to-back shelving, call the customer service department for compatibility of SR62 hanging rails.

Single Rail	W x D	Double Rail	W x D
SR62-601801	60" x 18"	SR62-602402	60" x 24"
SR62-602401	60" x 24"	SR62-603602	60" x 36"
SR62-603601	60" x 36"	SR62-722402	72" x 24"
SR62-721801	72" x 18"	SR62-723602	72" x 36"
SR62-722401	72" x 24"	SR62-962402	96" x 24"
SR62-723601	72" x 36"	SR62-963602	96" x 36"
SR62-961801	96" x 18"		
SR62-962401	96" x 24"		
SR62-963601	96" x 36"		

## Hook for Rail

**SR63**



50 lb. capacity per hook;  
 Hooks pivot once installed on the SR62 rail;  
 Can be put on and taken off even when the rail is in place on the adaptors.

Product #	D x H
SR63-02	2 1/2" x 5"



SRE4543M

## Label Holder

**NC32**




Attaches to SR21 medium-duty or SR22 heavy-duty beams;  
 For use with self-adhesive labels only.

Product #	Width
NC32-3601	36"
NC32-4201	42"
NC32-4801	48"
NC32-6001	60"
NC32-6601	66"
NC32-7201	72"
NC32-9601	96"

## Back-to-Back Spacers

**SR48**



Sold in pairs;  
 Used to attach two sections of Mini-Racking, back-to-back, with a 1" space between posts for beam adjustment.

Product #
SR48

## Laminated Hardwood Top for Shelving

**SR90**




Designed to be installed between two shelving units;  
 Must be ordered with a pair of SH74 supports or used with a storage unit with work surface application.

Product #	W x D
SR90-6024A	60" x 24"
SR90-7224A	72" x 24"
SR90-9624A	96" x 24"

## Wood Top Support

**SH74**



Sold in pairs;  
 Installed with hook system, without tools, onto the sides of SH or SR uprights;  
 Designed to support a SR90 laminated hardwood top between two shelving units.

Product #	Width
SH74-24	24"

# Mini-Racking Accessories

## Single Divider

**SR61**



Divides those parts that lean vertically against the back of the Mini-racking;  
 Installs on medium-duty (SR21) or heavy-duty (SR22) beams;  
 Divider can be adjusted laterally (left to right) without tools;  
 Compatible with 24" deep shelving and deeper.

Product #	Depth
SR61-2401	24"

## Double Divider

**SR60**



Supports parts and boxes that are stored vertically in a Mini-racking unit. Parts lean against "D" shape of the divider;  
 Attaches on two medium-duty (SR21) or two heavy-duty beams (SR22);  
 Space between the two beams must be 14" c/c;  
 Divider can be adjusted laterally (left to right) without tools;  
 Compatible with 24" deep shelving and deeper;  
 Designed to support lateral load.

Product #	D x H
SR60-2415	24" x 15"

## Full Height HD Utility Panel

**SH69**



HD utility panel for end of aisle unit;  
 Holes at every 1" c/c;  
 Fast and easy hook-on assembly;  
 Polished look;  
 Available in 4 widths: 12" (9 holes), 15" (13 holes), 18" (15 holes) and 24" (21 holes)  
 Compatible with both light and heavy-duty hooks : WM9F, WM9G, WM9H, WM9J, WM9A and WM9B;  
 Also compatible with WM9C, WM9D, WM9M, WM9N supports and WM21 shelf;  
 Capacity : 50 lb./square foot, maximum of 500 lb. per panel, evenly distributed load;  
 Compatible with certain multi-level shelving applications. Contact our customer service;  
 Complete the product number by choosing the desired depth: 15", 18", 24" or 36".

Product #	Height
SH69-__51	51"
SH69-__75	75"
SH69-__87	87"



SRE4542M

## Side Utility Panel

**SH68**



The SH68 utility panel for shelving installs on either the inside or the outside upright;  
 Simple assembly, no tools required;  
 Available in 4 widths: 12" (8 holes), 15" (12 holes), 18" (14 holes) and 24" (22 holes)  
 Compatible with both light and heavy-duty hooks : WM9F, WM9G, WM9H, WM9J, WM9A and WM9B;  
 Compatible with WM9C, WM9D, WM9M and WM9N supports;  
 Compatible with WM21 shelf;  
 Capacity : 50 lb./square foot, maximum of 300 lb. per panel, evenly distributed load;  
 Complete the product number by choosing the desired depth: 15", 18", 24", 36" or 48".


Product #	Height
SH68-__14	14"
SH68-__20	20"
SH68-__32	32"



# Mini-Racking Components

## Structural Components

### Post



Tubular T-shape; up to 7 fixing zones;  
Perforations on front side, every 2" c/c, for beam adjustment;  
14 gauge steel.


Product #	Height
SR10-039	39"
SR10-051	51"
SR10-075	75"
SR10-087	87"
SR10-099	99"
SR10-111	111"
SR10-123	123"



R5XEE-4001

### SR10

### Welded Mini-Racking Upright Assembly




Two heavy-duty ladder braces, factory welded onto two universal posts;  
Other heights available. Please contact your customer service representative.

Product #	D x H
SR13-180752	18" x 75"
SR13-180872	18" x 87"
SR13-240752	24" x 75"
SR13-240872	24" x 87"
SR13-240992	24" x 99"
SR13-300752	30" x 75"
SR13-300872	30" x 87"
SR13-300992	30" x 99"
SR13-360752	36" x 75"
SR13-360872	36" x 87"
SR13-360992	36" x 99"
SR13-480752	48" x 75"
SR13-480872	48" x 87"
SR13-480992	48" x 99"




### Mini-Racking Ladder Braces

### SR30 / SR32



Single ladder brace for 15" to 24" depths



Double, interlocked ladder brace for 30" to 48 1/2" depths

Sold in pairs;  
Recommendations:  
- 1 pair per upright assembly up to 99" in height  
- For upright assemblies over than 99" in height, please contact your customer service representative;

For depths of 30", 36", 48" and 48 1/2", ladder braces interlock as shown. Pairs of ladder braces supplied with these models are double ladder braces.

Product #	Depth
SR30-15	15"
SR30-16	16"
SR30-18	18"
SR30-24	24"
SR30-30	30"
SR30-32	32"
SR30-36	36"
SR30-48	48"
SR32-4801*	48 1/2"

\* The SR32 ladder brace is used to accommodate 48" D wood panels without cutting.



**NOTE** 15", 16", 30" and 32" ladder braces are suitable for record storage.


SEE PAGE 204

# Mini-Racking Components

## Beams and Tie Bars

### Medium-Duty Beams

SR21



Sold in pairs;  
14 gauge steel;  
Attach to the front of the post. Height adjustment every 2" c/c;  
Held in place with two safety clips.


Product #	W x H
SR21-36	36" x 2"
SR21-42	42" x 2"
SR21-48	48" x 2"
SR21-60	60" x 2"
SR21-66	66" x 2"
SR21-72	72" x 2"

**NOTE** 42" and 66" beams are suitable for record storage.

SEE PAGE 205

### Medium-Duty Tie Bar

SR25 / SR26



Hook to the inside of SR21 beams;  
Made in galvanized steel.

Product #	Depth
SR25-15	15"
SR25-16	16"
SR25-18	18"
SR25-24	24"
SR25-30	30"
SR25-32	32"
SR25-36	36"
SR25-48	48"
SR26-4801*	48 1/2"

**NOTE**


15", 16", 30" and 32" tie bars are suitable for record storage.

SEE PAGE 205

\* The SR26 tie bar is used with SR32 ladder braces to accommodate a 48" D wood panel without cutting.

### Beam Capacity Chart

\*Shelving load capacity tests are based on ANSI MH28.2 Shelving Manufacturer Association (SMA) standards. Capacities incorporate a safety factor and are valid for an equally distributed load. Capacities are indicated in pounds.



### Medium-Duty Beams

Decking Type	Depth	Width						Number of Tie Bars
		36"	42"	48"	60"	66"	72"	
Wood Decking *	15" to 24"	1000	1000	975	800	725	650	1
	30" to 32"	1075	1025	925	775	700	625	2
	36"	850	875	900	750	700	625	2
	48"	875	825	775	775	750	650	3
Steel Decking *	15" to 24"	900	900	900	800	750	650	1
	30" to 48"	1125	1125	1000	800	750	650	1
Wire Decking	24" to 48"	600	700	800	800	750	650	1


### Heavy-Duty Beams

Decking Type	Depth	Width			Number of Tie Bars
		60"	72"	96"	
Wood Decking *	15" to 24"	1650	1600	1225	2
	30" to 32"	1850	1575	1225	2
	36"	1750	1600	1225	3
	48"	1225	1225	1225	3
Steel Decking *	15" to 24"	1350	1350	1225	1
	30" to 48"	1925	1600	1225**	1
Wire Decking	24" to 48"	1000	1200	1200**	1

\*\*96" x 48" dimensions with steel decking or wire decking require 2 tie bars.

### Heavy-Duty Beams

SR22 / SR23




Sold in pairs;  
12 gauge steel;  
Attach to the front of the post. Height adjustment every 2" c/c;  
Held in place with two safety clips.

Product #	W x H
SR22-60	60" x 2 1/2"
SR22-72	72" x 2 1/2"
SR22-96	96" x 2 1/2"
SR23-96*	96 1/2" x 2 1/2"

\* SR23 beams can accommodate a 96" wide panel without cutting.

### Heavy-Duty Tie Bar

SR27 / SR28



Hook to the inside of SR22 and SR23 beams;  
Made in galvanized steel.

Product #	Depth
SR27-15	15"
SR27-18	18"
SR27-24	24"
SR27-30	30"
SR27-32	32"
SR27-36	36"
SR27-48	48"
SR28-4801*	48 1/2"

\* The SR28 tie bar is used with SR32 ladder braces to accommodate a 48" D wood panel without cutting.

# Mini-Racking Components

## Mini-Racking Decking

### Steel Decking

SR40 / SH20



SH20 : Quadruple folds at the front and back and single fold on the sides;  
 SR40 : Triple folds on the sides and single fold at the front and back;  
 Steel decking improves shelf strength.



#### ATTENTION


To order depending on unit dimensions and for each level of shelving, order the appropriate quantity of shelves and the product number(s) specified in the chart.

Upright Assembly	Beam Width													
	36"		42"		48"		60"		66"		72"		96"	
	Qty	Product #	Qty	Product #	Qty	Product #	Qty	Product #	Qty	Product #	Qty	Product #	Qty	Product #
15"	2	SR40-1815	1 + 1	SR40-1815 SR40-2415	2	SR40-2415	2 + 1	SR40-1815 SR40-2415	1 + 2	SR40-1815 SR40-2415	3	SR40-2415	4	SR40-2415
16"	2	SR40-1816	1 + 1	SR40-1816 SR40-2416	2	SR40-2416	2 + 1	SR40-1816 SR40-2416	1 + 2	SR40-1816 SR40-2416	3	SR40-2416	4	SR40-2416
18"	2	SR40-1818	1 + 1	SR40-1818 SR40-2418	2	SR40-2418	2 + 1	SR40-1818 SR40-2418	1 + 2	SR40-1818 SR40-2418	3	SR40-2418	4	SR40-2418
24"	2	SR40-1824	1 + 1	SR40-1824 SR40-2424	2	SR40-2424	2 + 1	SR40-1824 SR40-2424	1 + 2	SR40-1824 SR40-2424	3	SR40-2424	4	SR40-2424
30"	2	SH20-3018	1 + 1	SH20-3018 SH20-3024	4	SH20-3012	4	SH20-3015	1 + 2	SH20-3018 SH20-3024	4	SH20-3018	4	SH20-3024
32"	2	SR40-1832	1 + 1	SR40-1832 SR40-2432	2	SR40-2432	2 + 1	SR40-1832 SR40-2432	1 + 2	SR40-1832 SR40-2432	3	SR40-2432	4	SR40-2432
36"	2	SH20-3618	1 + 1	SH20-3618 SH20-3624	4	SH20-3612	4	SH20-3615	1 + 2	SH20-3618 SH20-3624	4	SH20-3618	4	SH20-3624
48"	2	SH20-4818	1 + 1	SH20-4818 SH20-4824	4	SH20-4812	4	SH20-4815	1 + 2	SH20-4818 SH20-4824	4	SH20-4818	4	SH20-4824

■ These dimensions are suitable for Mini-racking and back-to-back shelving.

### Wire Decking

SR42



Grid-pattern shelves made from 1/4" steel rods welded together;  
 Product meets fire code standards;  
 Wire decking offers an interesting alternative to steel decking.

#### ATTENTION


To order depending on unit dimensions and for each level of shelving, order the appropriate quantity of shelves and the product number(s) specified in the chart.

Upright Assembly	Beam Width													
	36"		42"		48"		60"		66"		72"		96"	
	Qty	Product #	Qty	Product #	Qty	Product #	Qty	Product #	Qty	Product #	Qty	Product #	Qty	Product #
24"	2	SR42-1824	1 + 1	SR42-1824 SR42-2424	2	SR42-2424	2 + 1	SR42-1824 SR42-2424	1 + 2	SR42-1824 SR42-2424	3	SR42-2424	4	SR42-2424
30"	2	SR42-1830	1 + 1	SR42-1830 SR42-2430	2	SR42-2430	2 + 1	SR42-1830 SR42-2430	1 + 2	SR42-1830 SR42-2430	3	SR42-2430	4	SR42-2430
36"	2	SR42-1836	1 + 1	SR42-1836 SR42-2436	2	SR42-2436	2 + 1	SR42-1836 SR42-2436	1 + 2	SR42-1836 SR42-2436	3	SR42-2436	4	SR42-2436
48"	2	SR42-1848	1 + 1	SR42-1848 SR42-2448	2	SR42-2448	2 + 1	SR42-1848 SR42-2448	1 + 2	SR42-1848 SR42-2448	3	SR42-2448	4	SR42-2448

**NOTE** All these dimensions are suitable for Mini-racking and back to back shelving.

### Wood Decking Dimensions

Dimensions of 30", 36" and 48" deep units are suitable for Mini-racking and two back-to-back units (except for 96 1/2" W). Please see the S52 technical guide. Some dimensions are suitable for Mini-racking and back to back shelving. See the S52 technical guide.



**IMPORTANT** Wood panels are not provided by Rousseau.  
 Beams are designed for plywood or particleboard panels at least 5/8" thick.

# Proposals - Mobile Shelving



When ordering, model numbers must be completed as follows :



- H** for posts with smooth finish surface
- R** for posts with perforated surface

EXAMPLE: **S** \_ \_ **4001M**

- BOLTED uprights** **D**
- WELDED uprights** **E**

**Example : S H . D . 4 0 0 1 M**  
For a mobile shelving with smooth finish posts and bolted open uprights.

## Mobile Shelving



SRE4003M

Preconfigured models of mobile shelving units are shown here.

Models include one shelving, the mobile base for Spider® shelving and 4" casters, 2 swivels with total-lock brake system and 2 rigids;

For the length of the base, add 3 3/16" to the nominal dimensions;

Ex.: A 48" wide base would be 51 3/16" wide total;

Shelving comes with uprights, braces and BOX shelves;

Capacity : 1000 lb. per base;

All models are quick and easy to assemble and can be disassembled when not in use;

Note : For a side-to-side combination, see the mobile base for Mini-racking;

Note : Not compatible with drawers or roll-out shelves in shelving and SH41/SH43/SH91 and SH93 doors.

SEE PAGE 93

Dimensions			Number of shelves	
W	D	H	Real H	6
36"	18"	63"	70 1/16"	S_ _ 4001M
	24"	63"	70 1/16"	S_ _ 4002M
		75"	82 1/16"	S_ _ 4003M
42"	18"	63"	70 1/16"	S_ _ 4004M
	24"	63"	70 1/16"	S_ _ 4005M
		75"	82 1/16"	S_ _ 4006M
48"	18"	63"	70 1/16"	S_ _ 4007M
	24"	63"	70 1/16"	S_ _ 4008M
		75"	82 1/16"	S_ _ 4009M



SRE4010M

# Proposals - Mobile Mini-Racking

When ordering, model numbers must be completed as follows :



*BOLTED uprights*     **D**  
*WELDED uprights*     **E**

EXAMPLE : SR \_ 4501 \_ M

**S** Steel decking  
**W** Wire decking  
 — Without decking

Example : **S R D 4 5 0 1 S M**  
 for a mobile unit bolted uprights,  
 including steel decking.

## Mobile Mini-Racking

Preconfigured models of mobile Mini-racking units are shown here.  
 Can be ordered with steel decking, wire decking or without decking;  
 Proposals include the mobile Mini-racking base with 4" casters, 2 swivels with total-lock brake system and 2 rigids;  
 Models with a 30" or deeper base include the handle for mobile Mini-racking;  
 36" to 72" wide units include medium duty-beams and 96" wide units include heavy-duty beams;  
 To calculate the real length of the base, add 3 3/16" to the nominal dimensions;  
 Ex.: A 60" wide base would be 63 3/16" wide total;  
 Capacity : 1000 lb. per base;  
 All models are quick and easy to assemble and can be disassembled when not in use.



SRE4545SM

### Steel

To order a unit with steel shelves, complete the product number with an **S**.

### Wire

To order a unit with wire shelves, complete the product number with a **W**;  
 Not compatible with 18" depth.

### For Wood Panels

To order a unit without decking (Ex.: for use with wood panels) leave the product number as is.



SRE4515WM

Dimensions				Number of Levels
W	D	H	Real H	4
36"	18"	63"	70 1/16"	SR_4501_M
	24"	63"	70 1/16"	SR_4502_M
		75"	82 1/16"	SR_4503_M
42"	18"	63"	70 1/16"	SR_4504_M
	24"	63"	70 1/16"	SR_4505_M
		75"	82 1/16"	SR_4506_M
48"	18"	63"	70 1/16"	SR_4507_M
	24"	63"	70 1/16"	SR_4508_M
		75"	82 1/16"	SR_4509_M
60"	24"	63"	70 1/16"	SR_4510_M
		75"	82 1/16"	SR_4511_M
	30"	63"	70 1/16"	SR_4512_M
		75"	82 1/16"	SR_4513_M
	36"	63"	70 1/16"	SR_4514_M
		75"	82 1/16"	SR_4515_M
		63"	70 1/16"	SR_4516_M
48"	75"	82 1/16"	SR_4517_M	


Dimensions				Number of Levels
W	D	H	Real H	4
66"	24"	63"	70 1/16"	SR_4518_M
		75"	82 1/16"	SR_4519_M
	30"	63"	70 1/16"	SR_4520_M
		75"	82 1/16"	SR_4521_M
	36"	63"	70 1/16"	SR_4522_M
		75"	82 1/16"	SR_4523_M
72"	48"	63"	70 1/16"	SR_4524_M
		75"	82 1/16"	SR_4525_M
	24"	63"	70 1/16"	SR_4526_M
		75"	82 1/16"	SR_4527_M
	30"	63"	70 1/16"	SR_4528_M
		75"	82 1/16"	SR_4529_M
96"	36"	63"	70 1/16"	SR_4530_M
		75"	82 1/16"	SR_4531_M
	48"	63"	70 1/16"	SR_4532_M
		75"	82 1/16"	SR_4533_M
	24"	63"	70 1/16"	SR_4534_M
		75"	82 1/16"	SR_4535_M
	30"	63"	70 1/16"	SR_4536_M
		75"	82 1/16"	SR_4537_M
	36"	63"	70 1/16"	SR_4538_M
		75"	82 1/16"	SR_4539_M
	48"	63"	70 1/16"	SR_4540_M
		75"	82 1/16"	SR_4541_M

**NOTE** Handles are not included in the 18" and 24" deep proposals.

## Mobility

### Mobile Base for Spider® Shelving

SH99



Allows installation of casters under Spider® shelving;  
 Only offered for Rousseau Spider® shelving;  
 Compatible with 4" or 6" casters (sold separately);  
 The shelving must have exactly the same dimensions as the base;  
 No back-to-back combinations possible. For side-to-side combinations, see the Mini-racking mobile base;  
 Compatible with 18" and 24" deep, 36", 42" and 48" wide shelving;  
 The 18" deep base is compatible with 63" high shelving or less;  
 The 24" deep base is compatible with 75" high shelving or less;  
 Not compatible with the drawers or the roll-out shelves in shelving and SH41/SH43/SH91 and SH93 doors;  
 Important : does not include casters, handle or bumpers. They must be ordered separately;  
 Complete the product number by choosing the desired depth : 18" or 24";  
 Note: With SH81 casters, total height = 7 1/16" with SH84 casters, total height = 9 5/16" with SH85 casters, total height = 9 7/16".

Product #	Width	Real Width
SH99-36	36"	39 3/16"
SH99-42	42"	45 3/16"
SH99-48	48"	51 3/16"

### Mobile Base for Mini-Racking

SH99



Allows installation of casters under Mini-racking;  
 Only offered for Rousseau Mini-racking;  
 Compatible with 4" or 6" casters (sold separately);  
 Compatible with 24", 30", 36" and 48" deep, 48", 60", 66", 72" and 96" wide and 63" and 75" high Mini-racking;  
 Side-to-side shelving or Mini-racking combinations are possible but they must have the same width :  
 - 48" base (not compatible)  
 - 60" base (30" + 30")  
 - 66" base (not compatible)  
 - 72" base (36" + 36")  
 - 96" base (48" + 48");  
 When doing a side-to-side combination, make sure to order an extra pair of rigid casters (under the adjoining posts);  
 Back-to-back configuration is not possible;  
 Important : does not include casters, handle or bumpers. They must be ordered separately;  
 Complete the product number by choosing the desired depth : 24", 30", 36" or 48";  
 Note: With SH81 casters, total height = 7 1/16" with SH84 casters, total height = 9 5/16" with SH85 casters, total height = 9 7/16".

Product #	Width	Real Width
SH99-48	48"	51 3/16"
SH99-60	60"	63 3/16"
SH99-66	66"	69 3/16"
SH99-72	72"	75 3/16"
SH99-96	96"	99 3/16"

### 4" Casters

SB81



Sold in pairs;  
 Choice of 3 types of casters : rigid, swivel, swivel with total-lock brake system (on wheel and swivel);  
 Capacity : 420 lb. per caster;  
 Total height : 5 1/4";  
 Dark gray polyurethane tread does not mark floors. Superior industrial quality casters;  
 Install under the mobile base for shelving and Mini-racking : one per post.

Product #	Type of Caster
SB81-01	Rigid
SB81-02	Swivel
SB81-03	Swivel with total-lock brake system

### 6" Casters

SB84



Sold in pairs;  
 Choice of 3 types of casters : rigid, swivel, swivel with total-lock brake system (on wheel and swivel);  
 Capacity : 900 lb. per caster;  
 Total height : 7 1/2";  
 Dark gray polyurethane tread insures silent functioning. Superior industrial quality casters;  
 Install under the mobile base for shelving and Mini-racking : one per post.

Product #	Type of Caster
SB84-01	Rigid
SB84-02	Swivel
SB84-03	Swivel with total-lock brake system

### Mobile Shelving and Mini-Racking Handle

SH97



Recommended for 30" deep or deeper Mini-racking;  
 The handle is fixed on the shelving or Mini-racking ends on the uprights. The handle has to be installed horizontally;  
 Complete the product number by choosing the desired depth : 18", 24", 30", 36", 42" and 48".

Product #
SH97-__01

### Bumpers for Mobile Shelving and Mini-Racking

SH98



Made of high density plastic;  
 Color : gray;  
 Installed on the 4 corners of the base to protect from impacts;  
 Sold in kits of 4.

Product #
SH98-01